Table ENG-4. - Building Site Development

Amelia County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
1B:	400	O a managed at line it and		O a manage of the Manage		NI - 4 Direction of	
Appling	100	Somewhat limited Low strength	0.78	Somewhat limited Too clayey Cutbanks cave	0.28 0.10	Not limited	
1C:							
Appling	100	Somewhat limited Low strength Slope	0.78 0.37	Somewhat limited Slope Too clayey Cutbanks cave	0.37 0.28 0.10	Somewhat limited Slope	0.37
Partlow		Not Rated		Not Rated		Not Rated	
2B:							
Buncombe	100	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.98
3B:							
Cecil	100	Very limited Low strength	1.00	Somewhat limited Too clayey Cutbanks cave	0.72 0.10	Not limited	
3C:							
Cecil	100	Very limited Low strength Slope	1.00 0.37	Somewhat limited Too clayey Slope Cutbanks cave	0.72 0.37 0.10	Somewhat limited Slope	0.37
Partlow		Not Rated		Not Rated		Not Rated	
4A:							
Chastain	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Flooding Low strength	1.00 1.00	Flooding Cutbanks cave	0.80 0.10	Depth to saturated zone	1.00
5A:							
Chewacla	100	Very limited Flooding Low strength Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.80 0.10	Very limited Flooding Depth to saturated zone	1.00 1.00
Chastain		Not Rated		Not Rated		Not Rated	
6B:							


Map Symbol and Soil Name	Pct of	of		Shallow Excavations		Lawns and Landscaping	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
6B: Cid	100	Varylimitad		Very limited		Somewhat limited	
Ciu	100	Very limited Low strength	1.00	Depth to hard bedrock	1.00	Depth to saturated	0.68
		Depth to saturated	0.68	Depth to saturated	1.00	zone	
		zone	0.50	zone	0.28	Depth to bedrock Content of large	0.10 <0.01
		Shrink-swell	0.50	Too clayey	0.26	stones	<0.01
Partlow		Not Rated		Not Rated		Not Rated	
6C:							
Cid	100	Very limited		Very limited		Somewhat limited	
		Low strength	1.00	Depth to hard bedrock	1.00	Depth to saturated	0.68
		Depth to saturated zone	0.68	Depth to saturated zone	1.00	zone Depth to bedrock	0.10
		Shrink-swell	0.50	Too clayey	0.28	Slope	0.04
Partlow		Not Rated		Not Rated		Not Rated	
7B:							
Colfax	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to thick cemented pan	1.00	Depth to saturated zone	1.00
		Depth to thick cemented pan	0.16	Depth to saturated zone	1.00	Depth to cemented pan	0.16
				Cutbanks cave	0.10		
Partlow		Not Rated		Not Rated		Not Rated	
8B:							
Creedmoor	100	Very limited		Very limited		Somewhat limited	
		Low strength Shrink-swell	1.00 1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.78
		Depth to saturated	0.78	Too clayey	0.28		
		zone		Cutbanks cave	0.10		
Wet Areas		Not Rated		Not Rated		Not Rated	
9A:							
Dogue	100	Very limited		Very limited		Somewhat limited	
		Low strength Shrink-swell	1.00 0.50	Depth to saturated zone	1.00	Depth to saturated zone	0.03
		Flooding	0.40	Cutbanks cave	0.10		
				Too clayey	0.03		
Roanoke		Not Rated		Not Rated		Not Rated	
9B:							



Map Symbol and Soil Name	Pct of	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
9B: Dogue	100	Very limited Low strength Shrink-swell Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Cutbanks cave Too clayey	1.00 0.10 0.03	Somewhat limited Depth to saturated zone	0.03
Roanoke		Not Rated		Not Rated	0.03	Not Rated	
10B:							
Georgeville	100	Very limited Low strength	1.00	Somewhat limited Too clayey Cutbanks cave	0.50 0.10	Not limited	
Partlow		Not Rated		Not Rated		Not Rated	
10C: Georgeville	100	Very limited		Somewhat limited		Somewhat limited	
		Low strength Slope	1.00 0.37	Too clayey Slope Cutbanks cave	0.50 0.37 0.10	Slope	0.37
Partlow		Not Rated		Not Rated		Not Rated	
11B:							
Helena	100	Very limited Shrink-swell Low strength Depth to saturated zone	1.00 1.00 0.78	Very limited Depth to saturated zone Too clayey Cutbanks cave	1.00 0.28 0.10	Somewhat limited Depth to saturated zone	0.78
Partlow		Not Rated		Not Rated		Not Rated	
11C:							
Helena	100	Very limited Shrink-swell Low strength Depth to saturated zone	1.00 1.00 0.78	Very limited Depth to saturated zone Slope Too clayey	1.00 0.37 0.28	Somewhat limited Depth to saturated zone Slope	0.78 0.37
Partlow		Not Rated		Not Rated		Not Rated	
12B:							
Herndon	100	Very limited Low strength	1.00	Somewhat limited Too clayey Cutbanks cave	0.28 0.10	Not limited	
Partlow		Not Rated		Not Rated		Not Rated	
12C:							



Map Symbol and Soil Name	Pct of	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
12C: Herndon	100	Very limited Low strength Slope	1.00 0.37	Somewhat limited Slope Too clayey Cutbanks cave	0.37 0.28 0.10	Somewhat limited Slope	0.37
Partlow		Not Rated		Not Rated		Not Rated	
13B: Mayodan	100	Very limited Low strength	1.00	Somewhat limited Too clayey	0.28	Not limited	
		Shrink-swell	0.50	Cutbanks cave	0.10		
13C: Mayodan	100	Very limited Low strength Shrink-swell Slope	1.00 0.50 0.37	Somewhat limited Slope Too clayey Cutbanks cave	0.37 0.28 0.10	Somewhat limited Slope	0.37
Partlow		Not Rated		Not Rated		Not Rated	
14D: Pacolet	100	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Partlow		Not Rated		Not Rated		Not Rated	
14E: Pacolet	100	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
15C3: Pacolet	100	Somewhat limited Slope	0.37	Somewhat limited Slope Cutbanks cave	0.37 0.10	Somewhat limited Slope	0.37
Partlow		Not Rated		Not Rated		Not Rated	
15D3: Pacolet	100	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Partlow		Not Rated		Not Rated		Not Rated	
16A:							



Map Unit	Detine Olege end	Local Roads t and Streets		Shallow Excavations		
	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
100					· ·	
	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
	Flooding	0.40	Cutbanks cave	0.10		
100	Very limited		Very limited		Very limited	
	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
	Low strength	1.00	Too clayey	0.28		
	Shrink-swell	0.50	Cutbanks cave	0.10		
100	Somewhat limited		Somewhat limited		Not limited	
	~		•	0.15		
	Low strength	0.22	Cutbanks cave	0.10		
	Not Rated		Not Rated		Not Rated	
100	Very limited		Somewhat limited		Very limited	
	Flooding	1.00	Flooding	0.80	Flooding	1.00
				0.73		
			Cutbanks cave	0.10		
100	Somewhat limited		Somewhat limited		Somewhat limited	
	Slope	0.37	Slope	0.37	Slope	0.37
			Cutbanks cave	0.10		
			Too clayey	0.02		
	Not Rated		Not Rated		Not Rated	
100	Very limited		Very limited		Very limited	
	Slope	1.00	Slope	1.00	Slope	1.00
			Cutbanks cave	0.10		
			Too clayey	0.02		
	Not Rated		Not Rated		Not Rated	
100	Very limited		Very limited		Very limited	
	Slope	1.00	Slope	1.00	Slope	1.00
			l oo clayey	0.02		
	100 100 100	Depth to saturated zone Flooding 100 Very limited Depth to saturated zone Low strength Shrink-swell 100 Somewhat limited Flooding Low strength Not Rated 100 Very limited Flooding 100 Somewhat limited Slope Not Rated 100 Very limited Slope Not Rated 100 Very limited Slope Not Rated	Depth to saturated zone Flooding 0.40 100 Very limited Depth to saturated zone Low strength 1.00 Shrink-swell 0.50 100 Somewhat limited Flooding 0.40 Low strength 0.22 Not Rated 100 Very limited Flooding 1.00 Not Rated 100 Very limited Slope 0.37 Not Rated 100 Very limited Slope 1.00 Not Rated	Depth to saturated zone Flooding 1.00 Very limited Depth to saturated zone Low strength Low st	Depth to saturated zone 1.00 Depth to saturated zone 1.00 Zone 2008 2008 2009	Depth to saturated zone 1.00 Depth to saturated 1

Map Symbol and Soil Name	Pct of			Shallow Excavations		Lawns and Landscaping	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
21B: Wedowee	70	Not limited		Somewhat limited Cutbanks cave Too clayey	0.10 0.02	Not limited	
Poindexter	30	Not limited		Somewhat limited Depth to hard bedrock Cutbanks cave Depth to soft bedrock	0.13 0.10 <0.01	Somewhat limited Depth to bedrock	<0.01
21C:							
Wedowee	70	Somewhat limited Slope	0.37	Somewhat limited Slope Cutbanks cave Too clayey	0.37 0.10 0.02	Somewhat limited Slope	0.37
Poindexter	30	Somewhat limited Slope	0.37	Somewhat limited Slope Depth to hard bedrock Cutbanks cave	0.37 0.13 0.10	Somewhat limited Slope Depth to bedrock	0.37 <0.01
Partlow		Not Rated		Not Rated		Not Rated	
21D:							
Wedowee	70	Very limited Slope	1.00	Very limited Slope Cutbanks cave Too clayey	1.00 0.10 0.02	Very limited Slope	1.00
Poindexter	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope Depth to hard bedrock Cutbanks cave	1.00 0.13 0.10	Slope Depth to bedrock	1.00 <0.01
Partlow		Not Rated		Not Rated		Not Rated	
21E:							
Wedowee	70	Very limited Slope	1.00	Very limited Slope Cutbanks cave Too clayey	1.00 0.10 0.02	Very limited Slope	1.00
Poindexter	30	Very limited Slope	1.00	Very limited Slope Depth to hard bedrock Cutbanks cave	1.00 0.13 0.10	Very limited Slope Depth to bedrock	1.00 <0.01
22B:							



Map Symbol and Soil Name	Pct of	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
22B:							
Winnsboro	100	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.28		
		Shrink-swell	1.00	Cutbanks cave	0.10		
22C:							
Winnsboro	100	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Slope	0.37	Slope	0.37
		Shrink-swell	1.00	Too clayey	0.28		
		Slope	0.37	Cutbanks cave	0.10		
W:							
Water	100	Not Rated		Not Rated		Not Rated	